

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO. FILING DATE		FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/747,635 12/29/200		12/29/2003	Erik Cardelius	P03, 0580 5742		
26574	7590	09/30/2004		EXAMINER		
SCHIFF I			KWOK, HELEN C			
PATENT I 6600 SEA			ART UNIT	PAPER NUMBER		
CHICAGO), IL 6060	06-6473	2856			
			DATE MAILED: 09/30/2004			

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application	Application No. Applicant(s)		<u> </u>				
	Office Action Commence	10/747,63	35	CARDELIUS, ERIK					
	Office Action Summary	Examiner		Art Unit					
		Helen C. F		2856					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply									
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).									
Status	: :								
1)□ R	tesponsive to communication(s) filed on _	·							
2a) 🗌 T	This action is FINAL . 2b)⊠ This action is non-final.								
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.								
Disposition of Claims									
4a 5)□ C 6)図 C 7)図 C	Claim(s) 1-3 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. Claim(s) is/are allowed. Claim(s) 1 and 2 is/are rejected. Claim(s) 3 is/are objected to. Claim(s) are subject to restriction and/or election requirement.								
Application	: n Papers		•						
9) The specification is objected to by the Examiner.									
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.									
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).									
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.									
Priority under 35 U.S.C. § 119									
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.									
Attachment(s	i i								
1) Notice of	f References Cited (PTO-892)		4) Interview Summary ((PTO-413)					
2) Notice of 3) Informa	of Draftsperson's Patent Drawing Review (PTO-948) tion Disclosure Statement(s) (PTO-1449 or PTO/SB/ lo(s)/Mail Date		Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:	te)-152)				

Art Unit: 2856

DETAILED ACTION

Priority

1. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Claim Objections

2. Claim 3 is objected to because of the following informalities. Appropriate correction is required.

In claim 3, line 1, the phrase "the transducer receiving station" should be changed to – said receiving station – to provide consistency. In line 3, the phrase "the transducer receiving station" should be changed to – said receiving station –.

Claim Rejections - 35 USC § 102/35 USC § 103

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

Application/Control Number: 10/747,635 Page 3

Art Unit: 2856

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

5. Claims 1-2 are rejected under 35 U.S.C. 102(b) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over U.S. Patent 6,363,773 (Bowers).

With regards to claims 1-3, Bowers discloses an instrument to measure fluids comprising, as illustrated in Figures 1-5, a receiving station in which an acoustic transducer is locatable to expose a front surface thereof to fluid pressure in a measurement chamber; and a pressure transfer arrangement, such as a pressurizing chamber, for communicating pressure between the measurement chamber and a rear surface of the transducer wherein a conduit is used for transferring pressurized fluid between the pressurizing chamber and the measurement chamber. Although the reference does not explicitly teaches a plurality of conduits, it is well known to an artisan in the art to have employ a plurality of conduits in lieu of one conduit to provide faster flow of fluid into the pressurizing chamber for efficiency without changing the operation and/or performance of the apparatus.

Allowable Subject Matter

6. Claim 3 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Art Unit: 2856

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The references cited are related to transducers mounted along a measurement chamber.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Helen C. Kwok whose telephone number is (571) 272-2197. The examiner can normally be reached on 8:30 to 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hezron E. Williams can be reached on (571) 272-2208. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Helen C. Kwok